benithem®

body Lite



Benithem Sdn. Bhd.

PTD 10710, Jln Kg Air Putih, Jalan Sawah,
Mukim Jeram Batu, 81500 Pekan Nanas,
Pontian, Johor, West Malaysia.
T : 607 - 699 6668
F : 607 - 699 6886
E : sales@benithem.com
www.benithem.com

* Benithem® reserves the rights to change the specifications without prior notification.
* Benithem® products are manufactured under strict quality controls by Benithem Sdn Bhd, recipient of the ISO 9001 : 2008 quality assurance certification and ISO 14001 : 2004 environmental certification.

Brand Excellence Award 2011



benithem®



benithem®



1. ADJUSTABLE HEADREST
The height adjustable headrest allows angle and height adjustments, giving comfort and support to neck and head at the any seating position.





2. MESH BACKREST
The mesh type backrest promotes greater ventilation and free airflow to the skin while the contoured shape provides superior comfort.





3. LUMBER SUPPORT
Artfully designed moulded polypropylene backrest can be arched to create an excellent support for the back. The lumbar and disperse overall pressure on the spine discs, allowing ergonomic comfort and stability. The lumbar is made from a unique flexible material, allowing maximum elasticity for the lumbar, The lumbar also has adjustable height of 50mm to meet your physical needs.

4. PU MOULDED SEAT FOAM
High density polyurethane moulded foam comes with fire retardant feature, gives the seat flexibility for user comfort, provides great support and best comfort even for long seating hours.





6. SEAT DEPTH ADJUSTMENTS
With the function of a sliding seat, the depth of the seat can also be adjusted up to a measurement of 70mm.

SEAT HEIGHT ADJUSTMENTS
The 90mm Class 4 pneumatic adjustable gas lift allows users to sit at the correct height to the desk.



5. SYNCHRON 5 LOCKING WITH SIDE TENSION MECHANISM (M48)
The 21° degree siting mechanism come with side tension adjust mechanism and 5 position locking.



7c. FIXED ARM (F43)
'T' shape moudled polypropylene armrest with arm expand up to 25mm.

7a. 4D ADJUSTABLE ARM (A53)
The 4D arms are available with the functions of height adjustments up to 100mm, and expansion up to 25mm. The arm pad can adjust forward or backward up to 50mm. and rotate 12° degree in or out to 4 position.





7b. 2D ADJUSTABLE ARM (A51)
The 2D adjustable arms are available with the functions of height adjustments up to 100mm, and expansion up to 25mm.







8. SLEEK ALUMINIUM BASE OR NYLON BASE
Solid, safe and stable 5 pronged sleek aluminium or nylon base provides strong stability.



9. NYLON CASTORS
60mm nylon dual-wheel castors are designed for easy maneouvring.



B5-4L-E

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm

M22L-2-A51M48B15

Chair Height : 1000 - 1090 mm
Chair Depth : 660 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 460 - 520 mm
Seat Width : 510 mm

M22L-1-A51M48B15

Chair Height : 1200 - 1290 mm
Chair Depth : 720 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 460 - 520 mm
Seat Width : 510 mm

M22L-2-A53M48B20

Chair Height : 1000 - 1090 mm
Chair Depth : 660 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 460 - 520 mm
Seat Width : 510 mm

M22L-1-A53M48B20

Chair Height : 1200 - 1290 mm
Chair Depth : 720 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 460 - 520 mm
Seat Width : 510 mm

M22L-1-A51M48B15

Chair Height : 1200 - 1290 mm
Chair Depth : 720 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 460 - 520 mm
Seat Width : 510 mm

M22L-2-A51M48B15

Chair Height : 1000 - 1090 mm
Chair Depth : 660 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 460 - 520 mm
Seat Width : 510 mm

B5-4L-S

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm