

FEIN_{Lite}

Benithem Sdn. Bhd.

PTD 10710, Jln Kg Air Putih, Jalan Sawah,
Mukim Jeram Batu, 81500 Pekan Nanas,
Pontian, Johor, West Malaysia.

T : 607 - 699 6668

F : 607 - 699 6886

E : sales@benithem.com

www.benithem.com

* Benithem® reserves the rights to change the specifications without prior notification.

* Benithem® products are manufactured under strict quality controls by Benithem Sdn Bhd, recipient of the ISO 9001 : 2008 quality assurance certification and ISO 14001 : 2004 environmental certification.



Brand Excellence
Award 2011



FEIN^{Lite}
Conference



benithem[®]









1. ADJUSTABLE MESH HEADREST

The height adjustable headrest allows angle and height adjustments, giving comfort and support to neck and head at the any seating position.



2. ADJUSTABLE LUMBER SUPPORT

The lumbar support can be easily adjusted up to 40mm to match your physical requirements. Simply press the button on the left and right of the lumbar support to push up or down.



6. PU MOULDED SEAT FOAM

High density polyurethane moulded foam comes with fire retardant feature, gives the seat flexibility for comfort user, provides great support and best comfort even for long seating hours.



3. MESH BACKREST

The mesh type backrest promotes greater ventilation and free airflow to the skin while the contoured shape provides superior comfort.



5. FOUR LOCKING & INTELLIGENT AUTO TENSION MECHANISM

The 20° degree siting mechanism come with intelligent auto tension mechanism and 4 position locking.



4. SEAT DEPTH ADJUSTMENTS

With the function of a sliding seat, the depth of the seat can also be adjusted up to a measurement of 55mm.



7a. 4D ADJUSTABLE ARM (A53)

The 4D arms are available with the functions of height adjustments up to 100mm, and expansion up to 25mm. The arm pad can adjust forward or backward up to 50mm, and rotate 12° degree in or out to 4 position.



7b. 2D ADJUSTABLE ARM (A51)

The 2D adjustable arms are available with the functions of height adjustments up to 100mm, and arm expand up to 25mm.



7c. FIXED ARM (F43)

'T' shape moulded polypropylene armrest with arm expand up to 25mm.



8. SLEEK ALUMINIUM BASE OR NYLON BASE

Solid, safe and stable 5 pronged sleek aluminium and nylon base provides strong stability.



9. NYLON CASTORS

60mm nylon dual-wheel castors are designed for easy manoeuvring.





B5-4L-S

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm

M33L-2-A51M43B15

Chair Height : 1010 - 1100 mm
Chair Depth : 640 mm
Chair Width : 660 - 720 mm
Seat Height : 440 - 530 mm
Seat Depth : 445 - 500 mm
Seat Width : 505 mm

M33L-1-A51M43B15

Chair Height : 1170 - 1260 mm
Chair Depth : 690 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 445 - 500 mm
Seat Width : 505 mm

M33L-2-A53M53B20

Chair Height : 1010 - 1100 mm
Chair Depth : 640 mm
Chair Width : 680 - 730 mm
Seat Height : 440 - 530 mm
Seat Depth : 450 - 500 mm
Seat Width : 505 mm

M33L-1-A53M53B20

Chair Height : 1170 - 1260 mm
Chair Depth : 690 mm
Chair Width : 680 - 730 mm
Seat Height : 445 - 535 mm
Seat Depth : 450 - 500 mm
Seat Width : 505 mm

M33L-1-A51M43B15

Chair Height : 1170 - 1260 mm
Chair Depth : 690 mm
Chair Width : 660 - 720 mm
Seat Height : 445 - 535 mm
Seat Depth : 445 - 500 mm
Seat Width : 505 mm

M33L-2-A51M43B15

Chair Height : 1010 - 1100 mm
Chair Depth : 640 mm
Chair Width : 660 - 720 mm
Seat Height : 440 - 530 mm
Seat Depth : 445 - 500 mm
Seat Width : 505 mm

B5-4L-E

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm