

FLOW-*Basic*

Benithem Sdn. Bhd.

PTD 10710, Jln Kg Air Putih, Jalan Sawah,
Mukim Jeram Batu, 81500 Pekan Nanas,
Pontian, Johor, West Malaysia.

T : 607 - 699 6668

F : 607 - 699 6886

E : sales@benithem.com

www.benithem.com

* Benithem® reserves the rights to change the specifications without prior notification.

* Benithem® products are manufactured under strict quality controls by Benithem Sdn Bhd, recipient of the ISO 9001 : 2008 quality assurance certification and ISO 14001 : 2004 environmental certification.



FLOW^{-Basic}

The simple frame and color that blends naturally into the space provide comfortable style. The slim S line supports body movements naturally and enhances posture.



FLOW^{-Basic}

Flow-B with colours that blend into the work space, proposes an office that is true to its basis. Simple desk and various cabinets can be incorporated to create a customized look.



benithem[®]

FLOW^{-Basic}
WorkStation

5



benithem[®]





3. LUMBER SUPPORT

Artfully designed moulded polypropylene backrest can be arched to create an excellent support for the lumbar and disperse overall pressure on the spine discs, allowing ergonomic comfort and stability. On top of that, the lumbar is made from a special flexible material, providing the lumbar with resilience



5a. MULTI LOCKING MECHANISM

Point synchronized mechanism with multi-locking system makes every seating position a perfect balanced environment.



6a. ADJUSTABLE ARMREST with POLYURETHANE ARM PAD

Adjustable armrests allow height adjustments up to 90mm to support elbows firmly and eliminate stress from extended hours of work; while the polyurethane arm pad is soft and designed to enhance support with the best comfort.




1. HEADREST

The two -pivoted headrest allows precise adjustments of the height and the up-and down movements of the headrest, providing comfort and support to the neck and the head at any seating position.



2. MESH BACKREST

Promotes greater ventilation and free flow air to the skin, contoured shape provides superior comfort.



4. PU MOULDED SEAT FOAM

High density polyurethane moulded foam comes with fire retardant feature, gives the seat flexibility to comfort user, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety.



5b. SINGLE LOCKING MECHANISM

Swivel synchronized mechanism with one locking system eases user movement for both seat right and 21° reclining position.



6b. FIX ARMREST

Trendy shape molded polypropylene armrest in black finish.



7. SLEEK ALUMINIUM BASE OR NYLON BASE

Solid, safe and stable 5 pronged sleek aluminium or nylon base provides strong stability.



8. NYLON CASTORS

60mm nylon dual-wheel castors are designed for easy manoeuvring.



M25-2-F45M43B15

Chair Height : 1010 - 1100 mm
Chair Depth : 640 mm
Chair Width : 630 mm
Seat Height : 440 - 530 mm
Seat Depth : 440 - 495 mm
Seat Width : 510 mm

M25-1-F45M43B15

Chair Height : 1190 - 1280 mm
Chair Depth : 640 mm
Chair Width : 630 mm
Seat Height : 440 - 530 mm
Seat Depth : 440 - 495 mm
Seat Width : 510 mm

M25-1-A39M55B20

Chair Height : 1220 - 1310 mm
Chair Depth : 640 mm
Chair Width : 660 mm
Seat Height : 445 - 535 mm
Seat Depth : 450 - 510 mm
Seat Width : 510 mm

M25-2-A39M55B20

Chair Height : 1040 - 1130 mm
Chair Depth : 640 mm
Chair Width : 660 mm
Seat Height : 445 - 535 mm
Seat Depth : 450 - 510 mm
Seat Width : 510 mm

M25-5-A39M55B20

Chair Height : 1140 - 1360 mm
Chair Depth : 640 mm
Chair Width : 660 mm
Seat Height : 560 - 780 mm
Seat Depth : 450 - 510 mm
Seat Width : 510 mm

B5-4L-E

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm