

KNIGHT

Benithem Sdn. Bhd.

PTD 10710, Jln Kg Air Putih, Jalan Sawah,
Mukim Jeram Batu, 81500 Pekan Nanas,
Pontian, Johor, West Malaysia.

T : 607 - 699 6668

F : 607 - 699 6886

E : sales@benithem.com

www.benithem.com

* Benithem® reserves the rights to change the specifications without prior notification.

* Benithem® products are manufactured under strict quality controls by Benithem Sdn Bhd, recipient of the ISO 9001 : 2008 quality assurance certification and ISO 14001 : 2004 environmental certification.



Brand Excellence
Award 2011



KNIGHT
Conference



benithem®



KNIGHT
Workstation



benithem®






5





1. ADJUSTABLE MESH HEADREST
The headrest allows to adjust the angle up to 60° degree and height up to 85mm, giving comfort and support to neck and head at the any seating position.



2. MESH BACKREST
The mesh type backrest promotes greater ventilation and free airflow to the skin while the contoured shape provides superior comfort.

3. ADJUSTABLE LUMBER SUPPORT
Artfully designed moulded polypropylene backrest can be arched to create an excellent support for the back. The lumbar can be adjusted up till a height of 80mm. The ergonomic design helps to disperse overall pressure on the spine discs, allowing maximum comfort and security.

4. PU MOULDED SEAT FOAM
High density polyurethane moulded foam comes with fire retardant feature, gives the seat flexibility to comfort user, provides great support and best comfort even for long seating hours.



6. SEAT DEPTH ADJUSTMENTS
With the function of sliding seat, the depth of the seat can also be adjusted.

SEAT HEIGHT ADJUSTMENTS
The 90mm Class 4 pneumatic adjustable gas lift allows users to sit at the correct height to the desk.



5b. FOUR LOCKING & INTELLIGENT AUTO TENSION (M43)
The 20° degree sitting mechanism come with intelligent auto tension mechanism and 4 position locking and 55mm seat sliding.

5a. SYNCHRON 4 LOCKING with QUICK SPRING TENSION (M55)
Synchronized mechanism with multi-locking system makes every seating position a perfect balanced environment come with quick tension adjust mechanism and 58mm seat sliding.

7a. ADJUSTABLE 4D ARMREST with POLYURETHANEN ARMPAD (A54)
Besides adjustments of the height, the armrest can also be adjusted. The height of the armrest can be adjusted up to 70mm. It can expand both in and out till a measurement of 32mm. The arm pad can also be slid forward and backwards to the length of 55mm with a rotation adjustment to firmly support elbow and eliminate stress for extended hours of work.



7b. 4D ADJUSTABLE ARM (A53)
The 4D arms are available with the functions of height adjustments up to 100mm, and expansion up to 25mm. The arm pad can adjust forward or backward up to 50mm, and rotate 12° degree in or out to 4 position.



7c. 2D ADJUSTABLE ARM (A51)
The 2D adjustable arms are available with the functions of height adjustments up to 100mm, and arm expand up to 25mm.



8. SLEEK ALUMINIUM BASE OR NYLON BASE
Solid, safe and stable 5 pronged sleek aluminium or nylon base provides strong stability.



9. NYLON CASTORS
60mm nylon dual-wheel castors are designed for easy manoeuvring.





B5-4L-E

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm

M36L-2-A51M43B15

Chair Height : 1020 - 1110 mm
Chair Depth : 640 mm
Chair Width : 655 - 705 mm
Seat Height : 445 - 535 mm
Seat Depth : 420 - 475 mm
Seat Width : 500 mm

M36L-1-A51M43B15

Chair Height : 1170 - 1260 mm
Chair Depth : 650 mm
Chair Width : 655 - 705 mm
Seat Height : 445 - 535 mm
Seat Depth : 420 - 475 mm
Seat Width : 500 mm

M36L-2-A54M55B20E31-W

Chair Height : 1015 - 1105 mm
Chair Depth : 640 mm
Chair Width : 655 - 705 mm
Seat Height : 445 - 535 mm
Seat Depth : 440 - 500 mm
Seat Width : 500 mm

M36L-1-A54M55B20E31-W

Chair Height : 1160 - 1250 mm
Chair Depth : 640 mm
Chair Width : 655 - 705 mm
Seat Height : 445 - 535 mm
Seat Depth : 440 - 500 mm
Seat Width : 500 mm

M36L-1-A53M55B15

Chair Height : 1180 - 1270 mm
Chair Depth : 640 mm
Chair Width : 670 - 720 mm
Seat Height : 440 - 530 mm
Seat Depth : 440 - 500 mm
Seat Width : 500 mm

M36L-2-A53M55B15

Chair Height : 1010 - 1100 mm
Chair Depth : 640 mm
Chair Width : 670 - 720 mm
Seat Height : 440 - 530 mm
Seat Depth : 440 - 500 mm
Seat Width : 500 mm

B5-4L-S

Chair Height : 870 mm
Chair Depth : 640 mm
Chair Width : 640 mm
Seat Height : 470 mm
Seat Depth : 480 mm
Seat Width : 470 mm