benithem®

Let our Quality do the Talking...

Benithem Sdn. Bhd.

PTD 10710, Jln Kg Air Putih, Jalan Sawah,
Mukim Jeram Batu, 81500 Pekan Nenas,
Pontian, Johor, West Malaysia.

T : 607 - 699 6668
F : 607 - 699 6886
E : sales@benithem.com
www.benithem.com

* Benithem reserves the right to change the specification without prior notification.

* Benithem products are manfactired under strictly quality controls by Benithem Sdn Bhd, recipient of the ISO 9001 : 2015 quality assurance certification and ISO 14001 : 2015 environmental certification.

Brand Excellence Award 2011

ANUGERAH KECEMERLANGAN INDUSTRI 2014

Enterprise 50 2014 Celebrating Malaysia's Enterprising Spirit

ISO 9001 CERTIFIED

ISO 14001 CERTIFIED

BIFMA

Enterprise SME CORP 5 Stars Rating Company

benithem®

ROOF **POD**



ROOF **POD**



ROOF **SINGLE POD**


An even greater invention to maximise noise reduction and enhance seclusion to make the environment a viable one to work in, be it for a group discussion or to focus on individual work.


HIGH ACOUSTIC RATING
Roof Single Pod offers an acoustic workplace for 1-2 people to work away from their desk. No longer bordering or being bordered by co-workers.


FITTINGS


Power Supply, USB Charger & Dimmer+Fan Control


Melamine Faced Chipboard Laminated Work Top


Black Aluminium Glass Frame


LED Light


Ventilation Access System


8mm Laminated Glass Door


Matt Handle Finishing


Carpet

OPTIONAL


Double sided 8mm Laminated Glass Wall


Stool



Acoustic Panel Light & Dark Grey




ROOF **SINGLE POD-G**




DIMENSION:



TOP VIEW




FRONT VIEW



SIDE VIEW

AIR VENTILATION FLOW



ROOF **DOUBLE POD T1-G**

A combination of functionality and ergonomics, ROOF DOUBLE POD is aesthetically pleasing and practical to have in a workplace. Furthermore, with a variety of colours to choose from, you can mix around to complement the view of the whole office.

HIGH ACOUSTIC RATING
Roof Double Pod offers an acoustic workplace for 1-4 people to work away from their desk. No longer bordering or being bordered by co-workers.

FITTINGS



Power Supply, USB Charger & Dimmer+Fan Control



Melamine Faced Chipboard Work Table



Steel Table Leg


Hanging TV Bracket


Sofa


Black Aluminium Glass Frame


LED Light


Ventilation Access System


8mm Laminated Glass Door


Matt Handle Finishing


Carpet


OPTIONAL


Double sided 8mm Laminated Glass Wall


Acoustic Panel Light & Dark Grey



DIMENSION:





ROOF **DOUBLE POD T2**


FITTINGS


Power Supply, USB Charger & Dimmer+Fan Control


Melamine Faced Chipboard Laminated Work Top


Black Aluminium Glass Frame


LED Light


Ventilation Access System


Matt Handle Finishing


8mm Laminated Glass Door


Carpet


OPTIONAL


Stool



Acoustic Panel Light & Dark Grey



DIMENSION:



AIR VENTILATION FLOW





ROOF MEETING POD




ROOF **MEETING POD**

FITTINGS (empty POD)


Ventilation Access System


LED Light


8mm Laminated Glass Door


Black Aluminium Glass Frame


Matt Handle Finishing


Carpet

OPTIONAL


Power Supply, USB Charger & Dimmer+Fan Control


Hanging TV Bracket


Frosted Glass


Double sided 8mm Laminated Glass Wall



Versatile Furniture


Acoustic Panel Light & Dark Grey



with **MODUL** discussion setting.


AIR VENTILATION FLOW



ROOF **MEETING POD-G**



DIMENSION:



FITTINGS (standard)



Power Supply, USB Charger & Dimmer+Fan Control



Hanging TV Bracket



Melamine Faced Chipboard Work Table


Steel Table Leg


Matt Handle Finishing


LED Light


Ventilation Access System


Black Aluminium Glass Frame


8mm Laminated Glass Door


Carpet

OPTIONAL


Frosted Glass


Double sided 8mm Laminated Glass Wall


APTO Chair


Acoustic Panel Light & Dark Grey

ROOF **MEETING POD-G**



with **Z-365** Ergonomic office chair
& **Height Adjustable Table** setting.

ROOF **MEETING POD**



with **MODE** sofa setting.

ROOF **POD**

	SINGLE POD (RF-SPOD-T-CP)	**SINGLE POD-G** (RF-SPOD-T-CP-G)	**DOUBLE POD T1** (RF-DPOD-TB-CP)	**DOUBLE POD T1-G** (RF-DPOD-TB-CP-G)	**DOUBLE POD T2** (RF-DPOD-T-CP-ST)	**MEETING POD** (RF-MPOD-TB-CP)	**MEETING POD-G** (RF-MPOD-TB-CP-G)
Material	Steel + Wooden Structure	Steel + Wooden Structure	Steel + Wooden Structure	Steel + Wooden Structure	Steel + Wooden Structure	Steel + Wooden Structure	Steel + Wooden Structure
Dimension **1. Internal** **2. External**	850(W) x 850(D) x 1985mm(H) 1000(W) X 1000(D) X 2190mm(H)	850(W) x 850(D) x 1985mm(H) 1000(W) X 1000(D) X 2190mm(H)	2020(W) x 1070(D) x 1985mm(H) 2175(W) X 1220(D) X 2190mm(H)	2020(W) x 1070(D) x 1985mm(H) 2175(W) X 1220(D) X 2190mm(H)	2020(W) x 1070(D) x 1985mm(H) 2175(W) X 1220(D) X 2190mm(H)	2165(W) x 2260(D) x 1985mm(H) 2320(W) X 2410(D) X 2190mm(H)	2165(W) x 2260(D) x 1985mm(H) 2320(W) X 2410(D) X 2190mm(H)
External Finishing	Upholstery Finishing	Upholstery Finishing	Upholstery Finishing	Upholstery Finishing	Upholstery Finishing	Upholstery Finishing	Upholstery Finishing
Internal Finishing	Using Acoustic Panel - 12mm	Using Acoustic Panel - 12mm	Using Acoustic Panel - 12mm	Using Acoustic Panel - 12mm	Using Acoustic Panel - 12mm	Using Acoustic Panel - 12mm	Using Acoustic Panel - 12mm
Floor Finishing	100% Polypropylene Carpet (Charcoal 9339)	100% Polypropylene Carpet (Charcoal 9339)	100% Polypropylene Carpet (Charcoal 9339)	100% Polypropylene Carpet (Charcoal 9339)	100% Polypropylene Carpet (Charcoal 9339)	100% Polypropylene Carpet (Charcoal 9339)	100% Polypropylene Carpet (Charcoal 9339)
Swing Door	8mm Laminated Glass	8mm Laminated Glass	8mm Laminated Glass	8mm Laminated Glass	8mm Laminated Glass	8mm Laminated Glass	8mm Laminated Glass
Window Glass	Black Aluminium Frame with 8mm Laminated Glass	Black Aluminium Frame with 8mm Laminated Glass	Black Aluminium Frame with 8mm Laminated Glass	Black Aluminium Frame with 8mm Laminated Glass	Black Aluminium Frame with 8mm Laminated Glass	Black Aluminium Frame with 8mm Laminated Glass	Black Aluminium Frame with 8mm Laminated Glass
Door Handle	Black Glass Door Lock in Matt Finishing	Black Glass Door Lock in Matt Finishing	Black Glass Door Lock in Matt Finishing	Black Glass Door Lock in Matt Finishing	Black Glass Door Lock in Matt Finishing	Black Glass Door Lock in Matt Finishing	Black Glass Door Lock in Matt Finishing
Table Finishing	Melamine Faced Chipboard	Melamine Faced Chipboard	Melamine Faced Chipboard	Melamine Faced Chipboard	Melamine Faced Chipboard	Melamine Faced Chipboard	Melamine Faced Chipboard
Table Leg	-	-	Steel with Epoxy Black Finishing	Steel with Epoxy Black Finishing	-	Steel with Epoxy Black Finishing	Steel with Epoxy Black Finishing
Control Panel	1 INT + USB (A/C) + Dimmer & Fan Control	1 INT + USB (A/C) + Dimmer & Fan Control	1 INT + USB (A/C) + Dimmer & Fan Control	1 INT + USB (A/C) + Dimmer & Fan Control	1 INT + USB (A/C) + Dimmer & Fan Control	1 INT + USB (A/C) + Dimmer & Fan Control	1 INT + USB (A/C) + Dimmer & Fan Control
Ventilation Fan	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))	DC Ventilation Fan (ø250mm) (Noise 38dB(A)) (DC12V/1A Ventilation Fan with Power Supply (110-240VAC))
Lighting	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)	LED Light (595mm) DC12V/1A 110-240VAC Dimmable (4000k ± 500)
Air Flow (Intake)	3 m3/min	3 m3/min	6 m3/min	6 m3/min	6 m3/min	12 m3/min	12 m3/min
Motion Sensor	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min	PIR Motion Sensor DC12V/1A 110-240V 15s/45s/5min